

MOBILE ENTERTAINMENT



JVC

2020 PRODUCT GUIDE

Winter / Spring



Smartphone Integration

Apple CarPlay™ - Connect Wirelessly or via USB

A smarter, safer and more fun way to use your iPhone in the car. Apple CarPlay gives iPhone users an intuitive way to make calls, use Maps, and listen to music with just a word or a touch. With the latest iOS version (iOS 13.0 and higher), 3rd party navigation apps like Google Maps™ and Waze™ are supported.

Some features, applications, and services are not available in all areas. For details, see: www.apple.com/ios/feature-availability/#applecarplay-applecarplay



Wireless Mirroring for Android Phones

Wireless Mirroring for Android Solution for seamlessly displaying and controlling your smartphone apps on a screen without cables on select Android devices. *Selected models only



Amazon Alexa Compatible

You can talk to Amazon Alexa on your JVC Receivers. With Alexa Built-in, you can ask to play music, place calls, listen to audiobooks, hear the news, check the weather, control smart home devices, get directions, find parking, and more - all while you keep your hands on the wheel and eyes on the road.



Available Functions

- Play Music
- Check Weather
- Check Local News
- Question about general things
- Timer / Alarm
- Check Wikipedia

*Some functions and services are not available in all areas.



Android Auto™ - Connect Wirelessly or via USB

Android Auto was designed with safety in mind. With a simple and intuitive interface and powerful voice actions, it's designed to minimize distraction so that you can stay focused on the road.

Some Features, applications, and services are not available in all areas. For details, see: www.android.com/auto



USB Mirroring for iPhone & Android

With Mirroring for JVC application installed on your smartphone, you can display the screen of your smartphone on the screen of the JVC receiver and listen to either the audio of your smartphone or current source of the receiver. *Not all functions and applications are available.



Using Alexa is simple – just install the Amazon Alexa companion app (free) on your iPhone or smartphone (Android™) and press the Amazon Alexa key on the JVC receiver, you can easily activate Alexa and get voice control.

*For more information, visit <https://www.jvc.net/cs/car/>



Amazon Alexa Key



Amazon, Alexa and all related logos are trademarks of Amazon.com, Inc. or its affiliates.

iDatalink Maestro

Advanced Vehicle Integration

iDatalink Maestro RR (sold separately) enables the retention of the factory steering wheel audio controls, factory amplifier, secondary displays and can even display vehicle information (performance data, climate controls, battery voltage, etc.) when connected to compatible vehicles.

*Available features may vary depending on the vehicle. The iDatalink Maestro RR is sold separately by Automotive Data Solutions. To find an authorized dealer please visit <https://maestro.idatalink.com/>



Sound Optimization

High Resolution Audio


You can enjoy playback of 96kHz/24bit audio which contains about 3 times the musical information of music CDs (44.1kHz/16bit), or even 192kHz/24bit High-Resolution Audio files with their approx. 6.5 times data volume. With high sound quality approaching the original master recording itself, you will experience the presence and ambience of a tune the way CD simply cannot.



High-quality Bluetooth® streaming with LDAC™


LDAC™ sends approximately three times more data (at the maximum 990 kbps transfer rate) than conventional Bluetooth® audio for superior wireless listening. Unlike other Bluetooth compatible coding technologies such as SBC, it operates without any down-conversion of the Hi-Res Audio content*1, and allows approximately three times more data*2 than those other technologies to be transmitted over a Bluetooth wireless network with unprecedented sound quality, by means of efficient coding and optimized packetization.

*1: excluding DSD format contents*2: in comparison with SBC (Subband Coding) when the bitrate of 990kbps (96/48kHz) or 909kbps (88.2/44.1kHz) is selected



K2 Technology for Enhanced Digital Sound Quality

K2 is a JVC original technology that reproduces the original master sound by expanding the frequency range. For example, K2 will expand the digital data of the audio CD recorded at 44.1kHz to 192 kHz. It is also possible to recreate the high-frequency range above 20kHz that is cut during the CD formatting.



Extra Convenience

JVC Remote Control App via Bluetooth®

Control the receiver's source directly from the smartphone using simple finger gestures with JVC's remote apps* now available for both iOS and Android. On select receivers, you can even customize your audio setting, and see detailed source information such as song title, artist name and album art etc. from the smartphone.

*For more information, visit the website for each app.



JVC Remote: www.jvc.net/car/app/jvc_remote/



JVC Remote S: www.jvc.net/car/app/jvc_remote_s/





KW-V960BW
Multimedia Receiver featuring 6.8" Clear Resistive Touch Monitor



KW-M865BW
Digital Multimedia Receiver featuring 6.8" Clear Resistive Touch Monitor



KW-V85BT
KW-V850BT LIMITED DISTRIBUTION
Multimedia Receiver featuring 6.8" Clear Resistive Touch Monitor




KW-M75BT
KW-M750BT LIMITED DISTRIBUTION
Digital Multimedia Receiver featuring 6.8" Clear Resistive Touch Monitor



KW-M56BT
KW-M560BT LIMITED DISTRIBUTION
Digital Multimedia Receiver featuring 6.8" Capacitive Touch Monitor


Dynamic GUI (KW-V960BW / KW-M865BW)

Various information including time, photos, album art images, or iDataLink Maestro™ and more, can be displayed on the home screen in a big, easy-to-view way. Swiping the monitor with two fingers lets you split the screen or change the information window.



4-Camera Inputs (KW-V960BW / KW-M865BW)

Enable users to add Front and Rear cameras and an additional 2 front or blind-spot cameras, further enhancing driver safety and convenience.



Front, Rear, Blind-R, Blind-L (Auto switch by iDataLink Maestro RR*)


Live Wallpaper (KW-V960BW / KW-M865BW)

Synchronize background visual and color with music.



Shallow Chassis Design (KW-M75BT / KW-M750BT / KW-M56BT / KW-M560BT / KW-M150BT)

The reduced depth of the chassis contributes to a weight reduction and facilitates easier installation.



Features Comparison

Model	Wireless Features	Wired Features	maestro	K2 TECHNOLOGY	USB	4-Camera Input	Pre-outs	Shallow Chassis	Dynamic GUI	Live Wallpaper	Angle Adjustment	Remote Control App	Video Format	Audio Format
KW-V960BW	Works with Apple CarPlay, android auto, Wi-Fi Mirroring for Android	Works with Apple CarPlay, android auto, USB Mirroring for iPhone/Android, USB Mirroring for Android	Yes	Yes	Rear x 2	4	3-Pre / 5V	Yes	Yes	Yes	Yes	Yes	H.264 / MPEG4 / AVI / MKV / WMV / MPEG1, 2	DSD / FLAC / AAC / WAV / MP3 / WMA
KW-M865BW	Works with Apple CarPlay, android auto, Wi-Fi Mirroring for Android	Works with Apple CarPlay, android auto, USB Mirroring for iPhone/Android, USB Mirroring for Android	Yes	Yes	Rear x 2	4	3-Pre / 5V	Yes	Yes	Yes	Yes	Yes	H.264 / MPEG4 / AVI / MKV / WMV / MPEG1, 2	DSD / FLAC / AAC / WAV / MP3 / WMA
KW-V85BT	Works with Apple CarPlay, android auto, Wi-Fi Mirroring for Android	Works with Apple CarPlay, android auto, USB Mirroring for iPhone/Android, USB Mirroring for Android	Yes	Yes	Rear x 1	2-Camera	3-Pre / 4V	Yes	Yes	Yes	Yes	Yes	H.264 / MPEG4 / AVI / MKV / WMV / MPEG1, 2	DSD / FLAC / AAC / WAV / MP3 / WMA
KW-M75BT	Works with Apple CarPlay, android auto, Wi-Fi Mirroring for Android	Works with Apple CarPlay, android auto, USB Mirroring for iPhone/Android, USB Mirroring for Android	Yes	Yes	Rear x 1	2-Camera	3-Pre / 4V	Yes	Yes	Yes	Yes	Yes	H.264 / MPEG4 / AVI / MKV / WMV / MPEG1, 2	DSD / FLAC / AAC / WAV / MP3 / WMA
KW-M56BT	Works with Apple CarPlay, android auto, Wi-Fi Mirroring for Android	Works with Apple CarPlay, android auto, USB Mirroring for iPhone/Android, USB Mirroring for Android	Yes	Yes	Rear x 1	1-Camera	3-Pre / 2V	Yes	Yes	Yes	Yes	Yes	H.264 / MPEG4 / AVI / MKV / WMV / MPEG1, 2	DSD / AAC / WAV / MP3 / WMA

Common Features



Simple, Sleek and Elegant

KW-V25BT / KW-V250BT LIMITED DISTRIBUTION

Multimedia Receiver featuring 6.2" Clear Resistive Touch Monitor

Single Color Illumination (Blue)

Press and Hold:
Works as memorized shortcut link

Music Sync. Function:
Flashes the illumination according to the rhythm of the music.



KW-V350BT maestro Variable

Multimedia Receiver featuring 6.8" Clear Resistive Touch Monitor



KW-M150BT

Digital Media Receiver featuring 6.8" WVGA Capacitive Touch Monitor

Features Comparison

Model	Display	Inputs	Outputs	Video Format	Audio Format
KW-V350BT	6.2" WVGA	USB, Pre-outs Voltage	Rear x 1, 3-Pre / 4V	MPEG1, 2	FLAC / AAC / WAV / MP3 / WMA
KW-V25BT / KW-V250BT	6.2" WVGA	USB, Pre-outs Voltage	Front x 1, 3-Pre / 2.5V	MPEG1, 2	FLAC / AAC / WAV / MP3 / WMA
KW-M150BT	6.8" WVGA	USB, Pre-outs Voltage	Rear x 1, 3-Pre / 2.0V	H.264 / AVI / MKV / MPEG4 / MPEG1, 2	FLAC / AAC / WAV / MP3 / WMA

Common Features



USB Mirroring for Android (KW-M56BT / KW-M560BT / KW-M150BT)

Seamlessly display your Android phone on the JVC screen via USB. Touch control is supported from both screen and smartphone.



Capacitive Touch Monitor (KW-M56BT / KW-M560BT / KW-M150BT)

Capacitive touch monitor provides high clarity and a more sensitive touch control, with greater accuracy.




Key Customize (KW-V350BT / KW-V25BT / KW-V250BT)

Lets you easily access frequently used functions. Two options are available.



1. Function Menu Customization

Functions registered in the Function Menu can easily be called up by simply pressing the "FNC" key.



2. Favorite Key (KW-V25BT / KW-V250BT)

Press and hold the "FNC" key to directly access the function registered for the Favorite Key.



Viewing Angle Adjustment

Adjusts the viewing angle for higher contrast and better visibility.



Wireless Charging Magnetic Car Mount

KS-GC10Q



Compatible with all Qi-certified receiver products, including smartphones and mobile phone covers.

- Secure Magnet • Rapid Charging
- Safety Features : Foreign Object Detection / Over Temperature Protection / Over Voltage Protection / Overload Protection
- Flexible viewing angles

Magnetic Plate for easy attachment



Adjustable Length for Dash / Window Mount



360° Adjustable Design for easy viewing




Accessories
Suction cup dashboard car mount / Magnet plate / Air vent car mount / Dash mounting plate / Safety strap / USB car charger / USB type-C to type-A cable

Specifications
[Qi Charger] • Input:DC5V/2A, 9V/1.6A • Power:10W Max • Dimensions:68.0(W)x102.0(H)x24.8(D)mm
[USB Car Charger] • Input:DC12V/24V, Output:5V/3A, 9V/2A, 12V/1.5A QC3.0

Rear View Camera

KV-CM30



- Waterproof design
- 1/4" color CMOS sensor with effective 380,000 pixels
- Flexible mounting bracket included
- Camera dimensions (WxHxD): 23.4mm x 23.4mm x 23.9mm
- Weight: 21g (Camera only)



Lightning – USB Cable

KS-U62



Wireless Remote Control for Multimedia Receivers

RM-RK258



Compatible with 2-DIN Multimedia Receivers



KD-MR1BTS

Digital Media Receiver featuring 2.7" Color Display / Waterproof (IPX6) / Global Tuner with Weather Band

Bluetooth *BT Audio only



Waterproof Rating of IPX6* (KD-MR1BTS)

Withstands jets of water from any direction thanks to IPX6 waterproof compliance. As a result, the receiver can be safely used not only in cars, but also in other types of motor vehicles including marine and motorsports use.



*Equivalent to IEC standard publication 529 IPX6. Protection against flood conditions on ships' decks (deck watertight equipment). Water from heavy seas shall not enter the enclosures under prescribed conditions.



Rear View Camera Input Support

KD-MR1BTS and KD-X560BT are equipped with a rear view camera input. With an optional camera connected, you have increased safety while driving UTVs or marine vessels.

KD-MR1BTS




KD-X560BT

Just press the "CAMERA" key and the display switches to the view from the rear camera.



KD-T91MBS

CD Receiver featuring Bluetooth



KD-X37MBS

Digital Media Receiver featuring Bluetooth



Optional Accessory

RM-RK62M

Wired Remote Control for Marine/MotorSports Receivers • IPX7 waterproof design



CS-DR621MWL / CS-DR620MBL

6-1/2" 2-Way Coaxial Speakers featuring 21-color LED Illumination / Water Resistant (IPX5) / Max Power 260W / RMS Power 75W



CS-DR620MBL



CS-DR621MWL

Rugged and reliable structure for tough environment

Waterproof Rating of IPX5*



*Equivalent to IEC standard publication 529 IPX5. Protection against water-jets. Water projected by a nozzle from any direction under stated conditions shall have no harmful effect.

Remote Controller

- RF remote can be used under the sunshine
- Remote Distance : 30m (~98ft)
- No directivity, and rugged design

Multi-Lighting Options

- 21 color options
- 21 dynamic modes
- 8 brightness adjustments
- 8 speed adjustments
- Maximum 6 pairs can be connected and synchronized



Type	6-1/2" 2-Way Coaxial
Peak Power	260W
RMS Power at 4Ω	75W
Frequency Response	65Hz - 21kHz

CS-DR6200M / CS-DR6201MW

6-1/2" 2-Way Coaxial Speakers featuring Water Resistant Woofers / UV Resistant Grilles / Max Power 150W / RMS Power 50W



CS-DR6200M



CS-DR6201MW

Features

- Water-resistant cone woofers
- UV resistant grilles
- Composite speaker baskets
- Stainless steel hardware
- 50W RMS high power*
- Grille with a large open area

Type	6-1/2" 2-Way Coaxial
Peak Power	150W
RMS Power at 4Ω*	50W
Frequency Response*	60Hz - 18.4kHz

*CEA2031

KS-DR1004D

Compact 4-channel Amp for Marine / MotorSports



Separated Circuit Construction

Separated circuit boards of the Pre-amp and Power-amp sections contribute to a reduction in radiation noise.



Pre-Amplifier Circuit Power Amplifier Circuit

Variable HPF & LPF

Incorporates a rotary type HPF and LPF which enables fine adjustment. Compared with fixed type switching, more precise sound adjustment is possible to match your preferences.



	KS-DR1004D
Type	Class-D
Channels	4-ch
Max Power	400W
RMS Power(4Ω)	45W x 4ch
RMS Power(2Ω)	45W x 4ch
Bridge(4Ω)	90W x 2ch
Frequency Response	20Hz - 20kHz

Features Comparison

Model	IPX Rating	Channels	Pre-outs	Shallow Chassis	Rear View Camera Ready	Video Format	Audio Format
KD-MR1BTS	IPX6	Rear x 1	2-Pre / 2V	Easy Installation	x 1	MP3 / WMA	MP3 / WMA
KD-X560BT	Conformal Coating	Front x 1	3-Pre / 2V	Easy Installation	x 1	H.264 / MPEG4 / AVI / MKV / MPEG1,2	FLAC / AAC / WAV / MP3 / WMA
KD-T91MBS	Conformal Coating	Front x 1	3-Pre / 4V	Easy Installation			FLAC / AAC / WAV / MP3 / WMA
KD-X37MBS	Conformal Coating	Front x 1	3-Pre / 4V	Easy Installation			FLAC / AAC / WAV / MP3 / WMA



KD-T915BTS

CD Receiver featuring Bluetooth / Front & Rear Dual USB / SiriusXM / Amazon Alexa Built-in / 13-Band EQ / JVC Remote App Compatibility



KD-TD91BTS
KD-T910BTS

CD Receiver featuring Bluetooth / USB / SiriusXM / Amazon Alexa Built-in / 13-Band EQ / JVC Remote App Compatibility



Variable color illumination



KW-R940BTS

2-Din CD Receiver featuring Bluetooth / USB / SiriusXM / Amazon Alexa Built-in / 13-Band EQ / JVC Remote App Compatibility



KW-X840BTS

2-Din Digital Media Receiver featuring Bluetooth / USB / SiriusXM / Amazon Alexa Built-in / 13-Band EQ / JVC Remote App Compatibility



KD-TD71BT

CD Receiver featuring Bluetooth / USB / Amazon Alexa Built-in / 13-Band EQ / JVC Remote App Compatibility

Variable color illumination



Audio Streaming & Control (A2DP, AVRCP)

With built-in Bluetooth audio, you can listen to and control songs stored on your iPhone or Android smartphone – all wirelessly. Extra high-quality playback can also be achieved with FLAC compatibility that allows digital audio to be compressed in a lossless format. In addition to repeat and random playback of music files, you can also easily search for songs using the browsing function. Just look for and choose the song you want to hear from the folder name and song name lists.



Low Battery Information

When the battery of the connected Bluetooth device runs low, a beep sound is heard and "LOW BATTERY" appears on the receiver.



Music Sync. with Variable Color

Changes illumination patterns according to the rhythm of the music. Illumination key colors can be preset the way you like.



JVC Streaming DJ

Connect up to 5 Bluetooth devices simultaneously, so you and your friends can take turns streaming music like a DJ. Cue up your hottest playlist and press play!



Features Comparison

	alexia built-in	Low Battery Information	2-Line VA LCD Display	Music Sync. Variable	Music Sync. Illumination	Variable Color	USB	Pre-outs Voltage	Audio Format
KD-T915BTS	Yes	Yes	Yes	Yes	Yes	2-Zone	Front x 1, Rear x 1	3-Pre / 5V	FLAC / AAC / WAV / MP3 / WMA
KD-TD91BTS	Yes	Yes	Yes	Yes	Yes	2-Zone	Front x 1	2-Pre / 2.5V	FLAC / AAC / WAV / MP3 / WMA
KD-T910BTS	Yes	Yes	Yes	Yes	Yes	2-Zone	Front x 1	2-Pre / 2.5V	FLAC / AAC / WAV / MP3 / WMA
KD-TD71BT	Yes	Yes	Yes	Yes	No	None	Front x 1	1-Pre / 2.5V	FLAC / AAC / WAV / MP3 / WMA
KD-T710BT	Yes	Yes	Yes	Yes	No	None	Front x 1	1-Pre / 2.5V	FLAC / AAC / WAV / MP3 / WMA
KW-R940BTS	Yes	Yes	Yes	Yes	Yes	2-Zone	Front x 1	3-Pre / 4V	FLAC / AAC / WAV / MP3 / WMA
KW-X840BTS	Yes	Yes	Yes	Yes	Yes	2-Zone	Front x 1	3-Pre / 2.5V	FLAC / AAC / WAV / MP3 / WMA

Common Features





KD-X470BHS

Digital Media Receiver featuring Bluetooth / USB / HD Radio / SiriusXM / Amazon Alexa Built-in / 13-Band EQ / JVC Remote App Compatibility



drvnDR Series



KD-X370BTS Bluetooth (SiriusXM) Pandora Spotify

Digital Media Receiver featuring Bluetooth / USB / SiriusXM / Amazon Alexa Built-in / 13-Band EQ / JVC Remote App Compatibility




KD-X270BT Bluetooth Pandora Spotify

Digital Media Receiver featuring Bluetooth / USB / 13-Band EQ / JVC Remote App Compatibility

Shallow Chassis Design

The reduced depth of the chassis contributes to a weight reduction and facilitates easier installation.



Built-in HD Radio Tuner

HD Radio is a Digital technology that allows a radio station to transmit more information in the same radio wave, enabling higher quality sound and additional content. HD Radio technology makes AM Stations have FM Station-like sound quality, while FM Stations are broadcast with CD-like sound quality. Unlike typical FM or AM transmission, HD Radio has crystal clear reception with low noise and no audio distortion.



Wireless Remote Control for CD and Digital Media Receivers

RM-RK52



DR Series Speakers Black Edition Superior, Reliable Performance


Combines high output sound and durability. Easily upgradable from factory-installed original speakers.



High Output & Durability

Carbon Mica Cone
Rigid and lightweight carbon mica material provides highly responsive, clear and undistorted sound reproduction.

Wide Grille Openings



Grille's opening ratio is 30% wider than the conventional model, enabling increased durability and clear sound.

Balanced Neodymium Tweeter

Provides detailed high range and smooth mid range. Installable vehicle types are greatly increased thanks to its shorter height.




Hybrid Surround

Rubber Coated Cloth with increased mobility enables high efficiency and improved follow-up to audio signals.

Great Factory Replacement

Installable vehicle types are greatly increased thanks to its shorter height.



Small-Design Tweeter Cover

Newly developed small cover significantly reduces areas that interfere with the woofer cone. High-quality sound is assured.

Features Comparison

Model	alexia built-in	Made for iPhone iPod	HD Radio	Music Sync. Variable	Music Sync. Illumination	2-Line VA LCD Display	USB	Pre-outs Voltage	Remote Control	Audio Format
KD-X470BHS	Yes	Yes	Yes	Yes	Yes	Yes	Yes	3-Pre / 5V	Optional	FLAC / AAC / WAV / MP3 / WMA
KD-X370BTS	Yes	Yes	Yes	Yes	Yes	Yes	Yes	3-Pre / 4V	Optional	FLAC / AAC / WAV / MP3 / WMA
KD-X270BT	Yes	Yes	Yes	Yes	Yes	Yes	Yes	1-Pre / 2.5V	Optional	FLAC / WAV / MP3 / WMA

Common Features



	CS-DR601C	CS-DR1700C	CS-DR6941	CS-DR6931	CS-DR6821	CS-DR1721	CS-DR621	CS-DR521	CS-DR421
Type	6-1/2" 2-Way Component	6-3/4" 2-Way Component	6 x 9" 4-Way Coaxial	6 x 9" 3-Way Coaxial	6 x 8" 2-Way Coaxial	6-3/4" 2-Way Coaxial	6-1/2" 2-Way Coaxial	5-1/4" 2-Way Coaxial	4" 2-Way Coaxial
Peak Power	360W	360W	550W	500W	300W	300W	300W	260W	220W
RMS Power at 4Ω*	60W	55W	90W	70W	45W	50W	50W	40W	35W
Frequency Response*	76Hz - 24kHz	66Hz - 23.8kHz	56Hz - 21kHz	58Hz - 21kHz	65Hz - 25.4kHz	74Hz - 25kHz	85Hz - 23.8kHz	85Hz - 25kHz	114Hz - 23kHz

*CEA2031

drvn DR Series

DR Series Speakers **Silver Edition** Highly Responsive, Undistorted Sound

Designed for JVC receivers to produce superior directivity and dynamic sound, which we call "drvn sound"



CS-DR693



PP + Mica Cone
Lightweight PP + Mica Cone Material provide highly responsive, clear and undistorted sound.

Full Cover Grille Design
Protects the woofer and tweeter in open installations.

Horn Ring Sound Enhancer
Improves mid-higher frequency sound character and reproduces life-like sound.



	CS-DR162	CS-DR693
Type	6-1/2" 2-Way Coaxial	6" x 9" 3-Way Coaxial
Peak Power	300W	500W
RMS Power at 4Ω*	50W	70W
Frequency Response*	88Hz - 22kHz	54Hz - 18kHz

*CEA2031

DR Series 12"/10" Subwoofers — Ultimate Deep Bass Sound & Tough Durability

Incorporates a heavy-duty 61.4 oz. magnet and a newly developed 6-layer voice coil to deliver bass and outstanding durability.



CW-DR124



Large Magnet for Powerful Bass



Deep Bass is achieved by focusing the speakers output to a lower frequency range than most conventional subwoofers. A large 61.4 oz. magnet helps produce these powerful low frequencies.



Large magnet (1740g / 61.4oz)

Durable Design

Heat dissipation and power handling: A newly incorporated 6-layer copper voice coil with aluminum former, improves heat resistance.



6-Layer Copper Voice Coil (Wire dia. 0.45mm)
Aluminum Bobbin


Large yoke
Tough voice coil

	CW-DR124	CW-DR104
Type	12" Subwoofer Unit	10" Subwoofer Unit
Peak Power	1800W	1300W
RMS Power at 4Ω	350W	300W
Frequency Response	38 - 300Hz	44 - 300Hz
Weight of Magnet (oz)	61.4	61.4
Dimensions WxDxH (inch)	12-7/8 x 12-7/8 x 6-7/8	10-7/8 x 10-7/8 x 5-7/8
Mounting Depth (inch)	6-3/16	5-1/4

Newly Designed Damper

The new Graduated Pleat Damper helps prevent stress from affecting specific parts of the damper. This minimizes mechanical damage and dramatically improves the damper's durability.

Recommended Box



SEALED	Inner Volume	W	H	D	Mounting Hole
CW-DR124	1.00 cu.ft	15-15/16"	14-1/4"	10-7/8"	11-1/8"
CW-DR104	0.65 cu.ft	14-3/4"	12-3/4"	9"	9-3/16"

PORTED	Inner Volume	W	H	D	Mounting Hole	SW	SH	SL
CW-DR124	1.50 cu.ft	20-1/2"	14-1/4"	14-1/16"	11-1/8"	1-3/16"	12-3/4"	19-11/16"
CW-DR104	0.8 cu.ft	17-5/8"	12-3/4"	10-3/4"	9-3/16"	1-1/8"	11-1/4"	15-3/4"


DR Series 8" Compact Powered Subwoofer — Compact, yet Powerful

JVC's solution addresses the growing need to enhance bass in vehicles without enough space to install conventional subwoofers.



Rugged Design

Each part used is heat resistant to achieve high durability.



Voice coil with large diameter

Compact size for installation in various places.



Trunk



Under the seat

	CW-DRA8
Type	Compact Powered Subwoofer
Peak Power	250W
RMS Power	125W
Frequency Response	35 - 150Hz
Remote Control	Volume/Frequency/Phase
Speaker Level Input	Yes
Signal Sensing Turn On	Yes
Dimensions WxDxH (inch)	13-3/4 x 9-7/16 x 2-15/16

DR Series Amplifiers — High Output & Built Strong

High power output drives the speakers to deliver dramatically high-quality sound.



KS-DR3001D



Toroidal transformer
Copper plate GND

	KS-DR3001D	KS-DR3002	KS-DR3004	KS-DR3005D
Type	Class-D	Class-AB	Class-AB	Class-D
Channels	Mono	2-ch	4-ch	5-ch
Max Power	800W	400W	800W	1000W
RMS Power (4Ω)	250W x 1	65W x 4	60W x 4	50W x 4 + 200W x 1
RMS Power (2Ω)	400W x 1	90W x 2	90W x 4	65W x 4 + 300W x 1
Bridged (4Ω)	-	180W x 1	180W x 2	130W x 2
Frequency Response	20Hz - 200Hz	5Hz - 50kHz	5Hz - 50kHz	[4ch] 5Hz - 30kHz [Mono] 20Hz - 200Hz

drvn DF Series

DR Series Speakers — Powerful Sound & Tough Looking Design

Entry class model that enables powerful sound reproduction.



CS-DF620

Hybrid Surround
Rubber Coated Cloth with increased mobility enables high efficiency and improved follow-up to audio signals.

Great Factory Replacement (CS-DF620)

Installable vehicle types are greatly increased thanks to its shorter height.



5/16" (8.1mm) Zero tweeter protrusion
• No interference with factory grilles
1-13/16" (46mm) Reduced-depth baskets fit virtually any application



Large Magnet
CS-DF620 : 2-1/2 (65mm)
CS-DF6920 : 3-1/8 (80mm)

	CS-DF620	CS-DF6920
Type	6-1/2" 2-Way Coaxial	6" x 9" 2-Way Coaxial
Peak Power	300W	400W
RMS Power at 4Ω	25W	30W
Frequency Response	70Hz - 19kHz	30Hz - 17kHz

Speakers/Amplifiers

V Series Speakers



	CS-V4627
Type	4 x 6" 2-Way Coaxial
Peak Power	140W
RMS Power at 4Ω	20W
Frequency Response	55Hz – 25kHz

AX5 Series Amplifiers



KS-AX5101D



KS-AX5104

	KS-AX5101D	KS-AX5102	KS-AX5104
Type	Class-D	Class-AB	Class-AB
Channels	Mono	2-ch	4-ch
Max Power	1000W	600W	1000W
RMS Power (4Ω)	300W x 1	100W x 2	70W x 4
RMS Power (2Ω)	500W x 1	150W x 2	100W x 4
Bridged (4Ω)	–	300W x 1	200W x 2
Frequency Response	20Hz – 200Hz	5Hz – 50kHz	5Hz – 50kHz

AX2 Series Amplifiers



KS-AX204



KS-AX201

	KS-AX204	KS-AX202	KS-AX201
Type	Class-AB	Class-AB	Class-AB
Channels	4-ch	2-ch	Mono
Max Power	600W	300W	500W
RMS Power (4Ω)	40W x 4	40W x 2	150W x 1
RMS Power (2Ω)	60W x 4	60W x 2	250W x 1
Bridged (4Ω)	120W x 2	120W x 1	–
Frequency Response	5Hz - 50kHz	5Hz - 50kHz	20Hz - 200Hz

Accessories



Air Purifier KS-GA100

HEPA Filter with 3-stage filtration / Motion Activated Controls / Portable enough for the car cup holder




*Clean Air Delivery Rate



Classy-Look Aluminum Body & Compact Size Fits Easily in Cupholder

Quickly Purify and Deodorize Your Car's Interior



Motion Activated Controls

Easily adjust the wind speed by shaking your hand above the purifier. Shake once to enter low speed mode, then shake again to switch to high speed mode, which deodorize rapidly. Shaking a third time will turn off the power.



Main Unit	
Operating voltage	DC5V
Power consumption	1.4W (Normal) 1.7W (Strong)
Diameter	2-5/8"
Height	7-1/16"
Weight	0.36kg (0.8lbs)
USB Car Charger	
Operating voltage	DC 12V/DC 24V
USB output	DC 5V/Total 2.4A max.

Replacement Part (Optional)



**HEPA Filter
KS-GA10F**

*Accessories : USB-DC Cable (0.7m) x 1, USB Car Charger x 1



- Amazon, Alexa and all related logos are trademarks of Amazon.com, Inc. or its affiliates.
- The Bluetooth® word mark and logos are registered trademarks owned by the Bluetooth SIG, Inc. and any use of such marks by JVC KENWOOD Corporation is under license.
- The "AAC" logo is a trademark of Dolby Laboratories.
- Use of the Made for Apple badge means that an accessory has been designed to connect specifically to the Apple product(s) identified in the badge, and has been certified by the developer to meet Apple performance standards. Apple is not responsible for the operation of this device or its compliance with safety and regulatory standards. Please note that the use of this accessory with an Apple product may affect wireless performance.
- Apple, iPhone, iPod, iPod touch, and Lightning are trademarks of Apple Inc., registered in the U.S. and other countries.
- Apple, Siri, Apple CarPlay and Apple CarPlay logo are trademarks of Apple Inc., registered in the U.S. and other countries.
- iDataLink and Maestro are trademarks or registered trademarks of Automotive Data Solutions Inc.
- Sirius, XM and all related marks and logos are trademarks of Sirius XM Radio Inc. All rights reserved.
- Pandora, the Pandora logo, and the Pandora trade dress are trademarks or registered trademarks of Pandora Media, Inc., used with permission.
- SPOTIFY and the Spotify logo are among the registered trademarks of Spotify AB.
- The "Qi" symbol is a trademark of the Wireless Power Consortium.

- HD Radio Technology manufactured under license from iBiquity Digital Corporation. U.S. and Foreign Patents. HD Radio™ and the HD, HD Radio, and "Arc" logos are proprietary trademarks of iBiquity Digital Corp.
- Google, Android, Google Play, Android Auto and other related marks and logos are trademarks of Google LLC.
- Wi-Fi® is a registered trademark of Wi-Fi Alliance®.
- The Wi-Fi CERTIFIED™ Logo is a certification mark of Wi-Fi Alliance®.
- iHeartRadio® and iHeartAuto™ are trademarks owned by iHeartMedia, Inc. All uses are authorized under license.
- "Hi-Res Audio" Logo and "Hi-Res Audio Wireless" Logo are used under license from Japan Audio Society.
- LDAC and LDAC logo are trademarks of Sony Corporation.
- iPods, iPhones, Android smartphones or any other accessories shown in this catalog are not supplied, and must be purchased separately.
- All other brands, product names, logos, or trademarks are the property of their respective holders.

Design and specifications subject to change without notice. The photos of the products featured in this brochure may not be of actual products that are available in your country. Copyright © 2019, JVC KENWOOD Corporation. All Rights Reserved.

JVC Website
<https://www.jvc.com>
<https://www.us.jvc.com/car/>

Please visit the JVC Support Site for further information including firmware update.
<https://www.jvc.net/cs/car/>

